Contents of Volume 42

Vol. 42, No. 1, January (I) 2000

Special issue:
Plant Molecular Evolution

Guest editors:
Jeff J. Doyle[1] and Brandon S. Gaut[2]

[1] *L.H. Bailey Hortorium, Cornell University, Ithaca, NY, USA*
[2] *Department of Ecology and Evolutionary Biology, University of California, Irvine, CA, USA*

Preface **vii–ix**

Section 1: Molecular evolution and phylogenetics: general issues

Evolution of genes and taxa: a primer
J.J. Doyle, B.S. Gaut **1–23**

Examining rates and patterns of nucleotide substitution in plants
S.V. Muse **25–43**

Contributions of plant molecular systematics to studies of molecular evolution
E.D. Soltis, P.S. Soltis **45–75**

Section 2: Evolution of gene families and gene functions: case histories

Molecular evolution of the chalcone synthase multigene family in the morning glory genome
M.L. Durbin, B. McCaig, M.T. Clegg **79–92**

Myrosinase: gene family evolution and herbivore defense in Brassicaceae
L. Rask, E. Andréasson, B. Ekbom, S. Eriksson, B. Pontoppidan, J. Meijer **93–113**

A short history of MADS-box genes in plants
G. Theissen, A. Becker, A. Di Rosa, A. Kanno, J.T. Kim, T. Münster, K.-U. Winter, H. Saedler **115–149**

Knots in the family tree: evolutionary relationships and functions of *knox* homeobox genes
L. Reiser, P. Sánchez-Baracaldo, S. Hake **151–166**

Section 3: The evolution of important phenomena in plants

Evolutionary genetics of self-incompatibility in the Solanaceae
A.D. Richman, J.R. Kohn **169–179**

The evolution of nodulation
G. Gualtieri, T. Bisseling **181–194**

The evolution of disease resistance genes
T.E. Richter, P.C. Ronald **195–204**

Hybridization, introgression, and linkage evolution
L.H. Rieseberg, S.J.E. Baird, K.A. Gardner **205–224**

Genome evolution in polyploids
J.F. Wendel 225–249

Transposable element contributions to plant gene and genome evolution
J.L. Bennetzen 251–269

Index 271–272

Vol. 42, No. 2, January (II) 2000

Mini-review

His-Asp phosphorelay signaling: a communication avenue between plants and their environment
H. Sakakibara, M. Taniguchi, T. Sugiyama 273–278

Research papers

***AtZFP1*, encoding *Arabidopsis thaliana* C_2H_2 zinc-finger protein 1, is expressed downstream of photomorphogenic activation**
H.E. Chrispeels, H. Oettinger, N. Janvier, B.W. Tague 279–290

A LIM-domain protein from sunflower is localized to the cytoplasm and/or nucleus in a wide variety of tissues and is associated with the phragmoplast in dividing cells
C. Mundel, R. Baltz, Å. Eliasson, R. Bronner, N. Grass, R. Kräuter, J.-L. Evrard, A. Steinmetz 291–302

Characterization of the LI818 polypeptide from the green unicellular alga *Chlamydomonas reinhardtii*
C. Richard, H. Ouellet, M. Guertin 303–316

Polygalacturonase gene expression in kiwifruit: relationship to fruit softening and ethylene production
Z.-Y. Wang, E.A. MacRae, M.A. Wright, K.M. Bolitho, G.S. Ross, R.G. Atkinson 317–328

Identification of a novel four-domain member of the proteinase inhibitor II family from the stigmas of *Nicotiana alata*
E.A. Miller, M.C.S. Lee, A.H.O. Atkinson, M.A. Anderson 329–333

The yeast polyadenylate-binding protein (*PAB1*) gene acts as a disease lesion mimic gene when expressed in plants
Q. Li, C. Von Lanken, J. Yang, C.B. Lawrence, A.G. Hunt 335–344

An *Arabidopsis thaliana* protein homologous to cyanobacterial high-light-inducible proteins
S. Jansson, J. Andersson, S.J. Kim, G. Jackowski 345–351

Characterization of chloroplast *psbA* transformants of *Chlamydomonas reinhardtii* with impaired processing of a precursor of a photosystem II reaction center protein, D1
A. Hatano-Iwasaki, J. Minagawa, Y. Inoue, Y. Takahashi 353–363

Molecular cloning and expression analysis of the mevalonate kinase gene from *Arabidopsis thaliana*
Mª A. Lluch, A. Masferrer, M. Arró, A. Boronat, A. Ferrer 365–376

Cloning of β-1,3-glucanases expressed during *Cichorium* somatic embryogenesis
S. Helleboid, A. Chapman, T. Hendriks, D. Inzé, J. Vasseur, J.-L. Hilbert 377–386

Isolation and characterization of two pathogen- and salicyclic acid-induced genes encoding WRKY DNA-binding proteins from tobacco
C. Chen, Z. Chen 387–396

Regulation of programmed cell death in maize endosperm by abscisic acid
T.E. Young, D.R. Gallie 397–414

Vol. 42, No. 3, February 2000

Plant homologue of flap endonuclease-1: molecular cloning, characterization, and evidence of expression in meristematic tissues
S. Kimura, T. Ueda, M. Hatanaka, M. Takenouchi, J. Hashimoto, K. Sakaguchi 415–427

Specific association of a small protein with the telomeric DNA-protein complex during the onset of leaf senescence in *Arabidopsis thaliana*
U. Zentgraf, K. Hinderhofer, D. Kolb 429–438

Chlorophyll breakdown in *Chlorella protothecoides*: characterization of degreening and cloning of degreening-related genes
S. Hörtensteiner, J. Chinner, P. Matile, H. Thomas, I.S. Donnison 439–450

Glucose modulates the abscisic acid-inducible *Rab16A* gene in cereal embryos
K. Toyofuku, E. Loreti, P. Vernieri, A. Alpi, P. Perata, J. Yamaguchi 451–460

Tissue-specific expression of *Pa18*, a putative lipid transfer protein gene, during embryo development in Norway spruce (*Picea abies*)
I. Sabala, M. Elfstrand, I. Farbos, D. Clapham, S. von Arnold 461–478

Secreted proteins of tobacco cultured BY2 cells: identification of a new member of pathogenesis-related proteins
Y. Okushima, N. Koizumi, T. Kusano, H. Sano 479–488

Isolation and characterization of the wheat prolyl isomerase FK506-binding protein (FKBP) 73 promoter
I. Kurek, A.J. Harvey, D.M. Lonsdale, A. Breiman 489–497

Characterization of the potato MADS-box gene *STMADS16* and expression analysis in tobacco transgenic plants
F. García-Maroto, N. Ortega, R. Lozano, M.-J. Carmona 499–513

Localization of AtROP4 and AtROP6 and interaction with the guanine nucleotide dissociation inhibitor AtRhoGDI1 from *Arabidopsis*
F. Bischoff, L. Vahlkamp, A. Molendijk, K. Palme 515–530

Male-sterile tobacco displays abnormal mitochondrial *atp1* transcript accumulation and reduced floral ATP/ADP ratio
P. Bergman, J. Edqvist, I. Farbos, K. Glimelius 531–544

Corrigendum 545

Vol. 42, No. 4, March (I) 2000

Characterization and developmental expression of single-stranded telomeric DNA-binding proteins from mung bean (*Vigna radiata*)
J.H. Lee, J.H. Kim, W.T. Kim, B.G. Kang, I.K. Chung **547–557**

Molecular characterization of a hydroxymethylglutaryl-CoA reductase gene from mulberry (*Morus alba* L.)
A.K. Jain, R.M. Vincent, C.L. Nessler **559–569**

The *Arabidopsis* splicing factor SR1 is regulated by alternative splicing
G. Lazar, H.M Goodman **571–581**

Cereal crops as viable producton and storage systems for pharmaceutical scFv antibodies
E. Stöger, C. Vaquero, E. Torres, M. Sack, L. Nicholson, J. Drossard, S. Williams, D. Keen, Y. Perrin, P. Christou, R. Fischer **583–590**

A high-affinity calmodulin-binding site in a tobacco plasma-membrane channel protein coincides with a characteristic element of cyclic nucleotide-binding domains
T. Arazi, B. Kaplan, H. Fromm **591–601**

In *Arabidopsis thaliana*, 1% of the genome codes for a novel protein family unique to plants
S. Aubourg, N. Boudet, M. Kreis, A. Lecharny **603–613**

Intron-mediated *gusA* expression in tritordeum and wheat resulting from particle bombardment
S. Salgueiro, C. Pignocchi, M.A.J. Parry **615–622**

***MDH1*: an apple homeobox gene belonging to the *BEL1* family**
Y.-H. Dong, J.-L. Yao, R.G. Atkinson, J.J. Putterill, B.A. Morris, R.C. Gardner **623–633**

Degradation of the Photosystem II D1 and D2 proteins in different strains of the cyanobacterium *Synechocystis* PCC 6803 varying with respect to the type and level of *psbA* transcript
J. Komenda, H.A.G. Hassan, B.A. Diner, R.J. Debus, J. Barber, P.J. Nixon **635–645**

NTR1* encodes a floral nectary-specific gene in *Brassica campestris* L. ssp. *pekinensis
J.T. Song, H.S. Seo, S.I. Song, J.S. Lee, Y.D. Choi **647–655**

Organization and expression of two *Arabidopsis DREB2* genes encoding DRE-binding proteins involved in dehydration- and high-salinity-responsive gene expression
K. Nakashima, Z.K. Shinwari, Y. Sakuma, M. Seki, S. Miura, K. Shinozaki, K. Yamaguchi-Shinozaki **657–665**

Vol. 42, No. 5, March (II) 2000

The rice *R* gene family: two distinct subfamilies containing several miniature inverted-repeat transposable elements
J. Hu, V.S. Reddy, S.R. Wessler **667–678**

A xenobiotic-stress-activated transcription factor and its cognate target genes are preferentially expressed in root tip meristems
S. Klinedinst, P. Pascuzzi, J. Redman, M. Desai, J. Arias **679–688**

A peanut seed lipoxygenase responsive to *Aspergillus* colonization
G.B. Burow, H.W. Gardner, N.P. Keller **689–701**

Organization and structural evolution of four multigene families in *Arabidopsis thaliana*: AtLCAD, AtLGT, AtMYST and AtHD-GL2
R. Tavares, S. Aubourg, A. Lecharny, M. Kreis **703–717**

Characterization of *Ricinus communis* phloem profilin, RcPRO1
C. Schobert, M. Gottschalk, D.R. Kovar, C.J. Staiger, B.-C. Yoo, W.J. Lucas **719–730**

Differential accumulation of *Aux/IAA* mRNA during seedling development and gravity response in cucumber (*Cucumis sativus* L.)
N. Fujii, M. Kamada, S. Yamasaki, H. Takahashi **731–740**

Cellular expression and regulation of the *Medicago truncatula* cytosolic glutamine synthetase genes in root nodules
H. Carvalho, N. Lescure, F. de Billy, M. Chabaud, L. Lima, R. Salema, J. Cullimore **741–756**

Cloning of *Arabidopsis thaliana* phosphatidylinositol synthase and functional expression in the yeast *pis* mutant
H.-W. Xue, K. Hosaka, G. Plesch, B. Mueller-Roeber **757–764**

Tomato contains homologues of *Arabidopsis* cryptochromes 1 and 2
G. Perrotta, L. Ninu, F. Flamma, J.L. Weller, R.E. Kendrick, E. Nebuloso, G. Giuliano **765–773**

Tobacco TGA factors differ with respect to interaction with NPR1, activation potential and DNA-binding properties
R. Niggeweg, C. Thurow, R. Weigel, U. Pfitzner, C. Gatz **775–788**

Announcement **789**

Vol. 42, No. 6, April 2000

Review

MAP kinase pathways: molecular plug-and-play chips for the cell
I. Meskiene, H. Hirt **791–806**

Research papers

A rapid induction by elicitors of the mRNA encoding CCD-1, a 14 kDa Ca^{2+}-binding protein in wheat cultured cells
D. Takezawa **807–817**

pGreen: a versatile and flexible binary Ti vector for *Agrobacterium*-mediated plant transformation
R.P Hellens, E.A. Edwards, N.R. Leyland, S. Bean, P.M. Mullineaux **819–832**

Abscisic acid biosynthesis in tomato: regulation of zeaxanthin epoxidase and 9-*cis*-epoxycarotenoid dioxygenase mRNAs by light/dark cycles, water stress and abscisic acid
A.J. Thompson, A.C. Jackson, R.A. Parker, D.R. Morpeth, A. Burbidge, I.A. Taylor **833–845**

Effect of pollination and exogeneous ethylene on accumulation of *ETR1* homologue transcripts during flower petal abscission in geranium (*Pelargonium* × *hortorum* L.H. Bailey)
C. Dervinis, D.G. Clark, J.E. Barrett, T.A. Nell **847–856**

Isolation of genes predominantly expressed in guard cells and epidermal cells of *Nicotiana glauca*
L.B. Smart, K.D. Cameron, A.B. Bennett **857–869**

Direct evidence for ribonucleolytic activity of a PR-10-like protein from white lupin roots
B. Bantignies, J. Séguin, I. Muzac, F. Dédaldéchamp, P. Gulick, R. Ibrahim **871–881**

Flower-predominant expression of a gene encoding a novel class I chitinase in rice (*Oryza sativa* L.)
Y. Takakura, T. Ito, H. Saito, T. Inoue, T. Komari, S. Kuwata **883–897**

Cloning, mapping and expression analysis of barley MADS-box genes
J. Schmitz, R. Franzen, T.H. Ngyuen, F. Garcia-Moroto, C. Pozzi, F. Salamini, W. Rohde **899–913**

Heterotrimeric G-protein β-subunit is localized in the plasma membrane and nuclei of tobacco leaves
T. Peškan and R. Oelmüller **915–922**

Characterization of a small GTP-binding protein of the rab 5 family in *Mesembryanthemum crystallinum* with increased level of expression during early salt stress
S. Bolte, K. Schiene, K.-J. Dietz **923–936**

Instructions for authors **937–940**

Volume contents **941–946**

Author index **947–948**